


Masport®



PRESIDENT®

OUTDOOR POWER EQUIPMENT
2023/24 AUSTRALIA



113 YEARS IN THE MAKING

With 113 years of innovation, Masport has grown to become a market leader for outdoor garden and lifestyle products. Synonymous with quality and reliability, the brand has been trusted by Aussies for generations.

Masport is sold in over 45 countries worldwide, and continues to develop outstanding products.

EVERY LAWN IS DIFFERENT

Which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, they are built to last.

MARKET LEADING CONSUMER WARRANTIES

We are committed to quality and performance. On offer is a full comprehensive consumer warranty, so you know exactly what is covered.



Masport branded push mowers featuring Briggs & Stratton, Kohler and AL-KO engines receive an industry leading 5 year comprehensive warranty on the entire lawnmower.* Delivering additional confidence and longevity for these lawnmowers.

OUR LAWMOWER CHASSIS AND PARTS WARRANTIES



We offer you an impressive 10 year warranty on all aluminium chassis. If you prefer a steel chassis you'll enjoy a 5 year warranty.* Both aluminium and steel push mower options come with a 5 year warranty on ALL parts.*

LIFETIME CATCHER WARRANTY



Masport's High Density Polyethylene (HDPE) Plastic Catcher comes with a Lifetime Warranty.

LITHIUM-ION POWERED LAWMOWERS

Masport has made durable and high-performing lawnmowers for over 80 years. We know how to make a lawnmower that is built to last.

Masport now brings you the latest in lithium-ion battery technology to power brushless electric induction motors. These mowers match the performance of many petrol-powered lawnmowers, and they do it quieter and without fumes.

Load sensing technology adapts the mower to the cutting conditions, sensing grass thickness and optimising power requirements for the best quality cut. The mower balances power and maximises runtimes through intelligent and efficient energy use.

Utilising the same handles, disc system, wheels, catcher, and cutting deck as our petrol models, there is no compromise on quality or performance.

Available across 3 different platforms, the Masport Lithium-Ion Battery mower ranges give you the benefit of:

- Zero emissions
- Low noise
- Push-button starting
- Minimal maintenance
- Long run time
- Ease of use

The Masport battery range will give you the freedom and convenience that comes with battery on a tried and tested Masport mower. Now you can mow at the push of a button, emission-free with true Masport power and performance.



M-Tech Range – page 35

Masport's M-tech range is powered by a 58V motor and features an integrated 58V 4.3Ah battery that can deliver up to an impressive 55 minutes of mowing time. Simply plug the mower into the power supply to recharge.

Power Flex Range – page 36

Designed for the home, semi-professional and professional user, the 1.2kw Masport Power Flex mower utilises the powerful 42V 7.5Ah lithium-ion battery to deliver true petrol performance at the push of a button.



60V MAX Range – page 38

Our most powerful battery outdoor garden tool range, the Masport 60V mowers have been developed to offer a solution for homeowners as well as to professional users who want the power of petrol with the benefits of battery.



BRIGGS & STRATTON STARTING PROMISE

Briggs & Stratton 500, 600, 700 and 800 series engines include a Starting Promise. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free.*

RapidStart™ engines will always start with a maximum of 5 primes and 4 pulls, or it is fixed for free.*

With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawnmower user can confidently start their mower. This engine should start on one or two pulls, or it is fixed for free.*

*Conditions apply, see www.masport.com.au for more information.

FEATURES

Only Authorised Dealers can carry Masport's President® series. They are the experts, advising you on the mower best suited to your needs, lifestyle or budget and deliver the kind of superior after sales service and advice you demand.

MASPORT BLADE SYSTEMS



Masport Quickcut® 2 Swingback Blade System

For superior cutting, mulching and catching performance, Masport mowers are fitted with unique blade cutting systems. The Masport Quickcut® blade is a top quality, specially designed blade system for cutting and mulching.



Masport 2 & 4 Swingback Blade Disc System

This blade system runs 2 or 4 swing back blades suitable for catching and mulching applications and is fitted on selected Masport President® catching and mulching models.



Masport Quadcut® 4 Swingback Blade Disc System

A specially designed four blade disc system, great for catching due to increased airflow.



Swingback Blade Feature

All these blade systems have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.

WHEELS



Masport's adjustable dual bearing wheels make the mower easy to push, with a threaded axle and nut, the wheels can easily be adjusted if they become loose after significant use. These wheels are made of polyethylene and designed to last. They have been vigorously tested for 600+ hours to ensure quality and durability.

CUTTING HEIGHTS



Push lawnmowers have a range of cut heights, from 10mm -70mm (0.4" - 2.75"). Height can be adjusted in one simple lever movement which is much faster than systems that require each individual wheel to be adjusted.

COMBO 2'N1
Catch and mulch options on these mowers.

COMBO 3'N1
These mowers have catch, mulch & side discharge options.

MASPORT HANDLE SYSTEMS




PVC Grip

For added comfort during operation



Soft Grip

For superior comfort and less vibration during mowing



One Piece Lower Handle

Reinforced lower 'U' handle for added strength



Two Piece

Stub handle with no middle bar for easy catcher access

A RANGE OF CHASSIS SIZES TO SUIT YOUR NEEDS

High-arch design

Allows airflow created from the blades to draw the grass upwards for multiple cut cycles before flowing into the catcher, creating enhanced mulching and catching performance.

420MM (16.5") CHASSIS

- Smaller cutting chassis for smaller lawns or tricky grass areas
- Easy to manoeuvre

460MM (18") CHASSIS

- High-arch design
- Single Mowzone (left side)

485MM (19") CHASSIS

- High-arch design
- Wider cutting width
- Dual Mowzone®

540MM (21") CHASSIS

- High-arch design
- Wider cutting width
- Dual Mowzone®

530MM (21") UTILITY CHASSIS

- Wider cut
- Specially designed Side Discharge chassis
- Strong and reliable for demanding conditions



STEEL

- durable steel



ALUMINIUM

- Corrosion free non-rust aluminium
- 10 year warranty

- Corrosion free non-rust aluminium
- 10 year warranty

- Corrosion free non-rust aluminium
- 10 year warranty

- 2mm heavy duty steel

- 2mm heavy duty steel

* Please note, not all mowers in our range contain all of these features

THE PRESIDENT® RANGE

The President® Range is our premium mower series, packed with multiple features making lawnmowing easy.

MOW N'STOW®

Masport and Briggs & Stratton have designed a concept to make storage easier and more efficient. The Masport crafted exclusive handle system folds upright and then back on itself to create a sturdy base. The Briggs & Stratton designed engine tips backwards up to 110° without any fuel or oil leakage and is completely safe. Mow the grass, stow the mower - save significant shed space!



HANDLE LIFT SYSTEM

The Handle Lift System allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle. Once the handle is returned to the operating position it will lock in firmly, providing responsive handling. The Handle Lift System allows for neat and tidy storage.



SELF PROPELLED

Let the mower do the work. These models are fitted with a self drive system. All you need to do is squeeze the self propelled bail to the handle to propel the mower forward. This reduces pushing effort making mowing quicker and easier!



MASPORT DUAL MOWZONE®

With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs, and fences, giving a cleaner finish to your lawn.



SMARTCHUTE®

Mow without the catcher and avoid messy grass clumps. The Masport patented Smartchute® will side discharge a clean spread of clippings as you mow to leave your lawn looking wonderful. Just engage the unique feature and begin mowing.



ZONE START

The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.



REAR DISCHARGE

With the rear discharge chute, the mower can be used effectively without a catcher. It is designed to work with Masport's unique 'high-arch' housing and blade systems which generate great airflow. The grass is spread across the full width of the chute and directed downward.



MULCHING

When you mulch there is less weight to push and no stopping to empty the catcher. The high-arch chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn. You will save on watering and lawn fertilisers, as well as time.



ELECTRIC START

Briggs & Stratton's InStart® & Integrated InStart® lithium-ion electric start engines take the guessing game out of starting your lawnmower. No more priming, choking or pulling the rope. These engines combine the power of petrol and the starting reliability of lithium-ion battery technology.





PRESIDENT® 550 ST S16.5 COMBO
CUT, CATCH, MULCH

564872

STEEL CHASSIS	PUSH	420MM (16.5")
---------------	------	---------------

ENGINE

Powered by Briggs & Stratton 125cc OHV Series™ 450E Primer 4 stroke engine

BUILD

420mm (16.5") steel chassis
Masport 2 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 175mm (7") wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access



PRESIDENT® 1000 ST S18
CUT, CATCH

565987

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 500E RapidStart™ 4 stroke engine

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



PRESIDENT® 1500 ST S18 COMBO
CUT, CATCH, MULCH

565767

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 575EX ReadyStart™ 4 stroke engine

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



PRESIDENT® 1500 ST S18 COMBO ELECTRIC START
CUT, CATCH, MULCH

565791

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 550IS Integrated InStart® 4 stroke engine*

BUILD

460mm (18") steel chassis
Masport 2 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

*InStart® Battery & Charger is covered by the published warranty periods listed in the engine manual



565988
Features Masport 4 Blade Disc System for superior catching due to increased airflow



PRESIDENT® 2000 ST S18 COMBO
CUT, CATCH, MULCH

565830

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



565926
Powered by Briggs & Stratton 161cc Series™ 700 DOV® ReadyStart™ 4 stroke engine



PRESIDENT® 3000 ST S19 COMBO MOW N'STOW®
CUT, CATCH, MULCH

567794

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down



PRESIDENT® 2500 ST S19 COMBO
CUT, CATCH, MULCH

564878

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 575EX ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down



PRESIDENT® 3000 ST S19 COMBO ELECTRIC START
CUT, CATCH, MULCH

567795

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 575iS InStart® 4 stroke engine*

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

*InStart® Battery & Charger is covered by the published warranty periods listed in the engine manual





PRESIDENT® 3500 ST S19 COMBO
CUT, CATCH, MULCH 578703

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 163cc OHV Series™ 725EXi ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Ergo camlocks for adjustable handle position



PRESIDENT® 4000 ST S19 COMBO
CUT, CATCH, MULCH 565940

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 875EXi ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



565913
Powered by AL-KO Series NINE IC 196cc OHV 4 stroke engine

PRESIDENT® 5000 ST S19 COMBO IC
CUT, CATCH, MULCH

578706

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine

BUILD

Cast iron sleeve in cylinder
485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down



565968

Powered by Briggs & Stratton 161cc Series™ 750 DOV® I/C® ReadyStart™ 4 stroke engine



PRESIDENT® 2000 ST S18 EZI-DRIVE SP
CUT, CATCH, MULCH

565812

STEEL CHASSIS	SELF-PROPELLED*	460MM (18")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 500E RapidStart™ 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty



PRESIDENT® UTILITY 530 IC
SIDE DISCHARGE

572844

STEEL CHASSIS	PUSH	530MM (21")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine

BUILD

Cast iron sleeve in cylinder
530mm (21") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



PRESIDENT® 2000 ST S18 ELECTRIC START EZI-DRIVE SP
CUT, CATCH, MULCH

565794

STEEL CHASSIS	SELF-PROPELLED*	460MM (18")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 140cc OHV Series™ 550ISi Integrated InStart® 4 stroke engine**

BUILD

460mm (18") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty

**InStart® Battery & Charger is covered by the published warranty periods listed in the engine manual





PRESIDENT® 3000 ST S19 COMBO SP
CUT, CATCH, MULCH

564881

STEEL CHASSIS	SELF-PROPELLED*	485MM (19")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty



PRESIDENT® 4000 ST S19 COMBO ELECTRIC START SP
CUT, CATCH, MULCH

567796

STEEL CHASSIS	SELF-PROPELLED*	485MM (19")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 575iS InStart® 4 stroke engine**

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty

**InStart® Battery & Charger is covered by the published warranty periods listed in the engine manual



PRESIDENT® 3000 AL S18 COMBO MOW N'STOW®
CUT, CATCH, MULCH

578707

ALLOY CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD

460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down



PRESIDENT® 4000 AL S19 COMBO IC
CUT, CATCH, MULCH

565727

ALLOY CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine

BUILD

Cast iron sleeve in cylinder
485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Zone start for comfortable starting position
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



565924

Powered by Briggs & Stratton 161cc Series™ 750 DOV® I/C® ReadyStart™ 4 stroke engine



RED SERIES

The general purpose range of lawnmowers



LAWN MARSHAL

CUT, CATCH 565824

STEEL CHASSIS	PUSH	420MM (16.5")
---------------	------	---------------

ENGINE

Powered by AL-KO Series FIVE 123cc OHV Auto Choke 4 stroke engine

BUILD

420mm (16.5") steel chassis
Masport 2 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 175mm (7") wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access



LAWN MARSHAL ST S18

CUT, CATCH 565983

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO Series FIVE 123cc OHV Auto Choke 4 stroke engine

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access



LAWN MARSHAL ST S18 M&C

CUT, CATCH, MULCH 565984

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO Series SIX 139cc OHV Auto Choke 4 stroke engine

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



LAWN MARSHAL ST S18 M&C IC

CUT, CATCH, MULCH 565985

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO Series SEVEN IC 159cc OHV Auto Choke 4 stroke engine
Cast iron sleeve in cylinder

BUILD

460mm (18") steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength
Camlocks for quick release handle fold down





600 ST S19 GENIUS 4'N1
CUT, CATCH, MULCH, SIDE DISCHARGE,CHIP 565982

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 163cc OHV Series™ 725EXi ReadyStart™ 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport 4 Blade Disc System with Chipper Blade
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Ergo camlocks for adjustable handle position
Zone start for comfortable starting position



700 AL S19 2'N1
CUT, CATCH, MULCH 565996

ALLOY CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE


Powered by Honda 201cc OHV Series GCV200 Auto Choke 4 stroke engine

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



UTILITY 460 ST S18
SIDE DISCHARGE 572850

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO Series SIX 139cc OHV Auto Choke 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Masport Quickcut® Blade System
Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels

HANDLE SYSTEM

Flat handle
Reinforced lower handle for added strength



UTILITY 460 ST S18 - 625
SIDE DISCHARGE 572847

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength





BLUE SERIES

A tough going series with USA branded Kohler engine options



8/O SERIES 500 CUT, CATCH, MULCH

565886

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Kohler 173cc OHV Series XT775 IC 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



8/O SERIES 500 SP CUT, CATCH, MULCH

565937

STEEL CHASSIS	SELF-PROPELLED*	485MM (19")
---------------	-----------------	-------------

ENGINE

Powered by Kohler 173cc OHV Series XT775 IC 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty steel chassis
Masport 4 Blade Disc System
HDPE Plastic Catcher
Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



* 2 year transmission warranty

8/O SERIES HL900 CUT, CATCH, MULCH

565709

ALLOY CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Kohler 173cc OHV Series XT775 IC 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down
Zone start for comfortable starting position



UTILITY 530 IC SIDE DISCHARGE

572858

STEEL CHASSIS	PUSH	530MM (21")
---------------	------	-------------

ENGINE

Powered by Kohler 173cc OHV Series XT775 IC 4 stroke engine
Cast iron sleeve in cylinder

BUILD

530mm (21") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



MULCHERS

Mulching or side discharge, the Time Saver series gets the job done faster without the hassle of catching.

2'N1 TIME SAVER - SERIES 6 MULCH, SIDE DISCHARGE

572865

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO Series SIX 139cc OHV Auto Choke 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Masport Mulching Blade System
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle
Reinforced lower handle for added strength



Side Discharge Chute

2'N1 TIME SAVER - DOV MULCH, SIDE DISCHARGE

572866

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE


Powered by Briggs & Stratton 161cc Series™ DOV® ReadyStart™ 4 stroke engine

BUILD

460mm (18") heavy duty steel chassis
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Mulching Blade System

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



Side Discharge Chute

PRO POWER series

Premium range of mowers powered by professional grade engines



PRO POWER ST S19 COMBO CUT, CATCH, MULCH

565986

STEEL CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by AL-KO Series TEN IC 224cc OHV 4 stroke engine

BUILD

485mm (19") heavy duty steel chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position





PRO POWER AL S18 159
CUT, CATCH, MULCH

565938

ALLOY CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

Powered by AL-KO series SIX 139cc OHV Auto Choke 4 Stroke engine
Cast iron sleeve in cylinder

BUILD

460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



PRO POWER AL S19 KAWASAKI 2'N1
CUT, CATCH, MULCH

565826

ALLOY CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Kawasaki 179cc OHV Series FJ 180V IC 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



PRO POWER AL S19 2'N1 850 IC
CUT, CATCH, MULCH

565888

ALLOY CHASSIS	PUSH	485MM (19")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Masport Dual Mowzone® for edge to edge cutting
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position



565923

Powered by Briggs & Stratton 161cc Series™ 750 DOV® I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

PRO POWER AL S19 850 IC SP 2'N1
CUT, CATCH, MULCH

565828

ALLOY CHASSIS	SELF-PROPELLED*	485MM (19")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

* 2 year transmission warranty



PRO POWER AL S21 850 IC SPV 3'N1
CUT, CATCH, MULCH, REAR DISCHARGE

565829

ALLOY CHASSIS	SELF-PROPELLED*	540MM (21")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Front 200mm (8") and Rear 220mm (9") deep tread adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

* 2 year transmission warranty



PRO POWER ST S21 UTILITY 850
SIDE DISCHARGE

572857

STEEL CHASSIS	PUSH	530MM (21")
---------------	------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

530mm (21") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



PRO POWER SPV

CUT, CATCH, MULCH, REAR DISCHARGE

565939

ALLOY CHASSIS	SELF-PROPELLED*	540MM (21")
---------------	-----------------	-------------

ENGINE

Powered by AL-KO Series TEN IC 224cc OHV 4 stroke engine

BUILD

540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Front 200mm (8") and Rear 220mm (9") deep tread adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Zone start for comfortable starting position

* 2 year transmission warranty



PRO POWER UTE 224 530

SIDE DISCHARGE

572863

STEEL CHASSIS	PUSH	530MM (21")
---------------	------	-------------

ENGINE

Powered by AL-KO Series TEN IC 224cc OHV 4 stroke engine

BUILD

530mm (21") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



CONTRACTOR SERIES

BUILT TOUGH, MADE TO LAST

Great gardens and professional looking landscapes demand equipment that is hardworking and reliable.

GT AGILITY PRO 3 SPEED COMMERCIAL TRANSMISSION*



A commercial grade, all metal, constant mesh, oil lubricated, cone clutch gearbox featuring precision bearings to the shafts. Designed for commercial applications, it provides reliability and durability. Ground speeds at 3200rpm are: 1st - 3.74 km/h, 2nd - 5.11 km/h, 3rd - 6.63 km/h, providing the perfect speed-to-job ratio demanded by contractors and homeowners with large yards.



* Self Propelled models only

STEEL REAR DISCHARGE CHUTE

Designed to work without a catcher or mulch plug, the rear discharge chute will spread the grass across the full width of the chute and direct the cut grass toward the ground. This allows the user to mow at any height without the need to stop mowing to empty a catcher, reducing mowing time and running costs, plus recycling the cut grass.



BOLT IN AXLES

The front axle is held firmly in place with steel bearing plates bolted directly to the chassis, which also securely retains the plastic axle pivot bush tight. The rear axle is bolted directly to the chassis through the rear bearing chassis, providing a strong fix to the mower.



ROBUST HANDLES & HEAVY DUTY CONTROLS & CABLES


Large diameter and heavier gauge upper and lower handles withstand the heavy forces applied to provide extra durability. The lower handle has additional bracing, reducing any lateral movement.



The heavy duty control and cables are extremely robust and resilient to breakage and wear, providing greater longevity.

PROFESSIONAL CAST ALUMINIUM WHEELS & PRECISION BEARINGS*

Professional grade, heavy duty, cast aluminium 8" front & 9 1/4" rear wheels with synthetic rubber tyres are extremely tough and are designed to operate under commercial conditions.



Each wheel is complemented by dual 6202 precision sealed bearings, making the mower easy to push, virtually maintenance free and long lasting.

*540mm (21") models only

LARGE CAPACITY DACRON CATCHER

The double lined Dacron catcher with dust cover holds 80L. The fabric catcher improves airflow maintaining catching performance, while the dust cover directs airflow downwards, reducing dust updraft for the operator.



BUMPERS

A front bumper and engine guard offer protection to the cutting chassis, front axle and engine. These bumpers also provide a valuable lifting handle and tie down point to secure the mower.



WARRANTY

DOMESTIC

5 Year Mower parts & Gearbox
5 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine

COMMERCIAL

1 Year Mower parts & Gearbox
2 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine



CONTRACTOR AL S19 3'N1 CUT, CATCH, MULCH, REAR DISCHARGE

565964

ALLOY CHASSIS	PUSH	485MM (19")
ENGINE		
Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine Cast iron sleeve in cylinder		
BUILD		
485mm (19") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Large Capacity Commercial Dacron catcher with dust cover Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels Masport Dual Mowzone® for edge to edge cutting		
HANDLE SYSTEM		
Comfortable upturned upper handle with PVC grip Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings Zone start for comfortable starting position		



CONTRACTOR® ST S21 3'N1 SP K CUT, CATCH, MULCH, REAR DISCHARGE

564953

STEEL CHASSIS	SELF-PROPELLED	540MM (21")
ENGINE		
Powered by Kawasaki 179cc OHV Series FJ 180V IC 4 stroke engine Cast iron sleeve in cylinder		
BUILD		
540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large capacity Commercial Dacron Catcher with dust cover Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings		
HANDLE SYSTEM		
Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings Zone start for comfortable starting position		





CONTRACTOR® ST S21 3'N1 SP B&S
CUT, CATCH, MULCH, REAR DISCHARGE 564929

STEEL CHASSIS	SELF-PROPELLED	540MM (21")
---------------	----------------	-------------

ENGINE

Powered by Briggs & Stratton 190cc OHV Series™ 850
Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") deep draw heavy duty steel chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings

HANDLE SYSTEM

Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position



CONTRACTOR® ST S21 3'N1 SP BBC HONDA
CUT, CATCH, MULCH, REAR DISCHARGE 565735

STEEL CHASSIS	SELF-PROPELLED	540MM (21")
---------------	----------------	-------------

ENGINE

Powered by Honda 163cc OHV Series GXV160 4 stroke engine
Cast iron sleeve in cylinder

BUILD

540mm (21") deep draw heavy duty steel chassis
Masport Quadcut® Blade Disc System
Large capacity Commercial Dacron Catcher with dust cover
Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings
Blade Brake Clutch (BBC) allows you to disengage the rotation of the mower blades without having to stop the engine.

HANDLE SYSTEM

Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube
Robust lower handle with additional bracing for extra durability
3 position handle locking system for different height settings
Zone start for comfortable starting position



**LITHIUM-ION
POWERED
LAWNMOWERS**

PRESIDENT® 500 ST 2'N1 58V
CUT, CATCH, MULCH 563706

STEEL CHASSIS	PUSH	420MM (16.5")
---------------	------	---------------

ENGINE

58 volt 0.75 kilowatt with load sensing technology
Powered by a Masport 58V, 5.2Ah Lithium-ion battery
Solid steel 7/8" motor drive shaft, no plastic fan required
Battery charger included - output: 58V, 3A

BUILD

5 stage LED battery charge status indicator on upper handle
420mm (16.5") steel chassis
Masport 2 Blade Disc System
Front 175mm (7") and Rear 175mm (7") wheels
HDPE Plastic Catcher

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access



PRESIDENT® 1000 ST S18 COMBO 58V
CUT, CATCH, MULCH 565890

STEEL CHASSIS	PUSH	460MM (18")
---------------	------	-------------

ENGINE

58 volt 0.75 kilowatt with load sensing technology
Powered by a Masport 58V, 5.2Ah Lithium-ion battery
Solid steel 7/8" motor drive shaft, no plastic fan required
Battery charger included - output: 58V, 3A

BUILD

5 stage LED battery charge status indicator on upper handle
460mm (18") heavy duty steel chassis
Masport 2 Blade Disc System
HDPE Plastic Catcher with 'full' indicator
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down



POWER FLEX® ST S19 COMBO 42V - CONSOLE ONLY

CUT, CATCH, MULCH

565759

STEEL CHASSIS

PUSH

485MM (19")

ENGINE

42 volt 1.2 kilowatt with load sensing technology
Powered by Power Flex® 42V Lithium-ion battery
Power Flex® 42V 7.5Ah lithium-ion battery - Not included

BUILD

Solid steel 7/8" motor drive shaft
485mm (19") heavy duty steel chassis
Masport 2 Blade Disc System
Masport Dual Mowzone® for edge to edge cutting
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher with 'full' indicator

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down



42V 7.5AH LI-ION BATTERY

127390

4 stage LED battery charge level indicator - simply push the button for battery charge status.
3 Years Domestic and 1 Year Commercial Warranty



POWERFLEX® ST S19 COMBO 42V KIT

553173

Includes:

565759 127390 127572

42V 3A BATTERY CHARGER

127572

42V 3A charger for the solo Power Flex® range
LED battery charge status indicator
3 Years Domestic and 1 Year Commercial Warranty



Masport®

60V

MAX



ONE BATTERY, MULTIPLE USE, **ZERO COMPROMISE.**

GET READY TO FEEL THE DIFFERENCE OF MASPORT

AEROCORE

BATTERY TECHNOLOGY



MASPORT 60V ST 16” MOWER - CONSOLE ONLY
CUT, CATCH, REAR DISCHARGE

565859

STEEL CHASSIS	PUSH	420MM (16.5”)
---------------	------	---------------

MOTOR

60 volt 0.75 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE 5Ah Lithium-ion battery
Runtime: up to 75 minutes - 5Ah battery (battery not included)*
Solid steel 7/8” motor drive shaft, no plastic fan required

BUILD

420mm (16.5”) steel chassis
Masport 2 Blade Disc System
Front 175mm (7”) and Rear 175mm (7”) wheels
Fabric Catcher

HANDLE SYSTEM

Comfortable upturned upper handle
Two piece lower handle for easy catcher access

* Runtime may vary due to grass type, grass conditions, users technique and battery charge level



MASPORT 60V ST 18” MOWER

CUT, CATCH, MULCH, SIDE DISCHARGE

565856

STEEL CHASSIS	PUSH	460MM (18”)
---------------	------	-------------

MOTOR

60 volt 0.75 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE 5Ah Lithium-ion battery
Battery charger included - output: 60V, 2.5A
Runtime: Up to 65 minutes - 5Ah battery (no load)*
Solid steel 7/8” motor drive shaft, no plastic fan required

BUILD

460mm (18”) heavy duty steel chassis
Masport 2 Blade Disc System
Front 200mm (8”) and Rear 200mm (8”) adjustable mono bearing wheels
HDPE Plastic Catcher with ‘full’ indicator


HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Ergo camlocks for adjustable handle position

* Runtime may vary due to grass type, grass conditions, users technique and battery charge level



INCLUDES 60V 5Ah AEROCORE battery & battery charger



MASPORT 60V ST 19” MOWER
CUT, CATCH, MULCH, SIDE DISCHARGE

565857

STEEL CHASSIS	PUSH	485MM (19”)
---------------	------	-------------

MOTOR

60 volt 1.2 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE 5Ah Lithium-ion battery
Battery charger included - output: 60V, 2.5A
Runtime: up to 50 minutes - 5Ah battery (no load)**
Solid steel 7/8” motor drive shaft, no plastic fan required

BUILD

485mm (19”) heavy duty steel chassis
Masport 2 Blade Disc System
Masport Dual Mowzone® for edge to edge cutting
Front 200mm (8”) and Rear 200mm (8”) adjustable dual bearing wheels
HDPE Plastic Catcher with ‘full’ indicator

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Ergo camlocks for adjustable handle position



INCLUDES 60V 5Ah AEROCORE battery & battery charger



MASPORT 60V ST 18” SP MOWER

CUT, CATCH, MULCH, SIDE DISCHARGE

565858

STEEL CHASSIS	SELF-PROPELLED*	460MM (18”)
---------------	-----------------	-------------

MOTOR

60 volt 1.2 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE 5Ah Lithium-ion battery
Battery charger included - output: 60V, 2.5A
Runtime: up to 45 minutes - 5Ah battery (no load)**
Solid steel 7/8” motor drive shaft, no plastic fan required

BUILD

460mm (18”) heavy duty steel chassis
Masport 2 Blade Disc System
Front 175mm (7”) and Rear 200mm (8”) adjustable mono bearing wheels
HDPE Plastic Catcher with ‘full’ indicator

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

* 2 year transmission warranty
** Runtime may vary due to grass type, grass conditions, users technique and battery charge level



INCLUDES 60V 5Ah AEROCORE battery & battery charger





MASPORT 60V CHAINSAW - KIT

553241



Console Only: 553159

High efficiency brushless motor delivers more power, torque and a greater run time
Durable 16" (40cm) bar and chain deliver superior performance cut after cut
Large, full wrap and anti-slip front handle designed for easy use
Professional chain tensioning system for simple set up and adjustment
Large oil tank with viewing window for extended use
Mechanical and electric chain brake keeps you safe and in control
Metal spike provides easy cutting and control
Automatic lubrication system keeps the chain moving freely at all times
Lightweight and very easy to handle
Battery run time: 60V Max 5Ah - up to 49 minutes (no load)
5.0Ah Lithium-ion battery & 2.5A charger included
Weight : 4.6kg (console only)



MASPORT 60V LINE TRIMMER - KIT

553166



Console Only: 553161

High efficiency brushless motor provides more power, torque and a greater run time
Gear transmission technology provides more torque and power for tough works
High-low and variable speed control extends run time and provides power when required for various grass conditions
Ergonomic adjustable loop handle for balance and comfortable operation
Bump feed line trimmer head with 2.4mm line capacity and 40cm cutting width
2 piece shaft design for easy transportation and storage
Strong aluminum shaft is durable but light in weight
Battery run time: 60V Max 2.5Ah - up to 49 minutes / 60V Max 5Ah - up to 107 minutes (no load)
2.5Ah Lithium-ion battery & 2.5A charger included
Weight : 4.4kg (console only)

MASPORT 60V TURBO BLOWER - KIT

553168



Console Only: 553158

High efficiency brushless motor provides more power, torque and a greater run time
Turbine fan technology delivers forceful, high-capacity air volume
Turbo boost function provides increased power to move difficult debris
Up to 200km/h air speed and 900m³/h air volume
Variable speed switch for increased control
Cool air is drawn through the battery housing to keep the battery cells cooler and improve performance and run time
Large detachable air tube delivers maximum air volume
Compact, lightweight and easy to handle
Battery run time: 60V Max 2.5Ah - up to 62 minutes / 60V Max 5Ah - up to 130 minutes
2.5Ah Lithium-ion battery & 2.5A charger included
Weight : 3.3 kg (console only)

MASPORT 60V HEDGE TRIMMER - KIT

553167



Console Only: 553160

High efficiency brushless motor delivers more power, torque and a greater run time
Large, full wrap front handle designed for easy side and top cutting
Dual trigger system for the highest level of safety
5 positions rotating rear handle for effortless cutting between horizontal and vertical cutting
610mm dual action laser cut double sided cutting blades for clean and precise cutting
Blade tip protector enhances the life of the blades
Low cutter guard for safe and easy access
Lightweight hedge trimmer with optimum ergonomics
Battery run time: 60V Max 2.5Ah - up to 46 minutes / 60V Max 5Ah - up to 94 minutes (no load)
2.5Ah Lithium-ion battery & 2.5A charger included
Weight : 4.6kg (console only)



MASPORT 60V MAX 2.5AH
AEROCORE LI-ION BATTERY

553155



60V 2.5Ah lithium-ion Battery - 135Wh
6 stage LED battery charge level indicator
No memory effect - charging possible at all times
Low spontaneous discharging
Long service life
Compatible with all the equipment from the Masport 60V Max range
Weight : 1.5kg

MASPORT 60V MAX 5AH
AEROCORE LI-ION BATTERY

553156



60V 5Ah lithium-ion Battery - 270Wh
6 stage LED battery charge level indicator
No memory effect - charging possible at all times
Low spontaneous discharging
Long service life
Compatible with all the equipment from the Masport 60V Max range
Weight : 2.3kg

MASPORT 60V 2.5A AEROCORE
BATTERY CHARGER

553157



LED battery charge status indicator
Quick charging time
Smooth running battery insertion guide
Charge time - 60V 2.5Ah - approx. 60 minutes / 60V 5Ah - approx. 120 minutes
Weight : 0.9kg


MASPORT 60V 5A AEROCORE FAST
BATTERY CHARGER

553220



LED battery charge status indicator
Quick charging time
Smooth running battery insertion guide
Integrated cooling fan keeps the battery cooler during the charging process
Charge time - 60V 2.5Ah - approx. 30 minutes / 60V 5Ah - approx. 60 minutes
Weight : 1.3kg

A cooling fan in the base of the fast charger protects the batteries from overheating during the charging process and reduces down time when a hot battery is inserted for charging.



HANDMOWERS

This premium hand mower, constructed in heavy-duty steel is fully adjustable. The heavy-weight cast alloy wheels fitted with solid rubber tyres provide remarkable traction, unseen on other hand mowers. Heat treated 6 blade alloy-steel cutting cylinder and bottom blade cut the lawn cleanly, much like a pair of scissors, delivering a manicured professional looking finish which will be the envy of your neighbours.

CLEVELAND 18"

552803

- 13mm - 56mm cutting range
- 460mm (18") cutting width
- Heat treated alloy steel 6 blade cutting cylinder and bottom blade.
- Resharpenable blades ensure continuous and precise cutting and a long working life.
- Comfortable T-Style handle with cushion grips
- Robust Fabric Catcher included
- 9" Cast Alloy wheels with solid rubber tyres
- Strong steel drive pinions
- 2 Year Warranty



ELECTRIC MOWERS

The Masport Electric Mower is an easier way to mow the smaller lawn - no fuel to mix, just plug it in and mow.

ELECTRIC MOWER

553238

- Powerful 1800 watt motor gives the mower enough power to tackle a small to medium sized lawn
- 420mm (16.5") cutting width
- Ergonomic height adjustable upturned handle with PVC grip
- Large 50 litre, fan assisted catcher
- 2 Year Warranty



ROTAROLA

With a unique steel rear roller, this self propelled Rotarola gives a stunning striped, rolled finish.

ROTAROLA S18 SP

CUT, CATCH, STRIPE

557960

ALLOY CHASSIS	SELF-PROPELLED*	460MM (18")
---------------	-----------------	-------------

ENGINE

Powered by Briggs & Stratton 163cc OHV Series™ 675EXi ReadyStart™ 4 stroke engine


BUILD

460mm (18") heavy duty aluminium non rust chassis
Masport 4 Blade Disc System
Front 150mm (6") and 127mm (5") Rear steel roller adjustable dual bearing wheels
Masport Dual Mowzone® for edge to edge cutting
Fabric Catcher

HANDLE SYSTEM

Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Ergo camlocks for adjustable handle position
Zone start for comfortable starting position

* 2 year transmission warranty



567885

Briggs & Stratton 163cc OHV Series 725EXi ReadyStart™ 4 Stroke engine

CYLINDER MOWERS

Great for helping to create a bowling green look to be the envy of the neighborhood.

400 RRR

019108

- Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
- 405mm (16") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 50 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



500L RRR

019115

- Powered by Loncin 196cc OHV engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



500 RRR

019113

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



500 RRR - HONDA GX160

019112

- Powered by Honda 163cc GX160 engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



500 GOLF

019111

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine
- 505mm (20") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 207 per metre
- 4 - 30mm cutting height
- Steel 10 blade cutting reel
- 70 litre HDPE plastic catcher
- Single bail drive system
- 195mm diameter split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



660 RRR

019114

- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C engine
- 670mm (26") cutting width
- Centrifugal clutch reel engagement
- Standard cut: 124 per metre
- 7 - 30mm cutting height
- Steel 6 blade cutting reel
- 82 litre HDPE plastic catcher
- Single bail drive system
- 205mm diameter rubber lined split steel rear roller
- Comfortable upturned upper handle with PVC grip
- 2 Year Warranty



THE NEW MASPORT CHIPPER IS HERE.

The Masport MC900 premium chipper is the perfect solution for maintaining your garden, home or lifestyle block. The large self feeding hopper safely lets branches up to 70mm pass through the machine with ease. The powerful engine, combined with the 3-blade cutting disk, quickly turn branches into easy to manage mulch. Three fan blades on the flywheel produce powerful airflow that effortlessly discharges the mulch. The high discharge outlet allows to be guided directly into a trailer, wheelie bin, or the garden bed.

Chips branches up to 70mm

Self feeding chute makes light work of your branches

Single Lever blade engagement for easy operation

Powered by your choice of genuine Honda or Briggs & Stratton engines

Optional: Tow Hitch Kit

Product may differ slightly from pictured.

MC900 CHIPPER BRIGGS & STRATTON XR950

BI02034

- Powerful 6.5HP 208cc Briggs & Stratton XR950 pull start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system.
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty

Large heavy duty cutting disk with 3 tool steel chipping blades makes for fast self feeding chipping performance

1270mm High discharge chute with adjustable deflector allows users to discharge the chips straight into a wheelie bin, trailer or directly onto the garden bed

Highly manoeuvrable thanks to its balanced design and large heavy duty 295mm wheels

Optional accessories

- Chipper Collection Bag
- Tow Hitch Kit

MC900 CHIPPER HONDA GX200

BI02033

- Powerful 5.5HP 196cc Honda GX200 pull start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system.
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty

MC900 CHIPPER HONDA GX200 ELECTRIC START

BI02036

- Powerful 5.5HP 196cc Honda GX200 electric start engine.
- Three special tool steel chipping blades provide a fine chip that's perfect for composting.
- Twin belt drive system
- Safety lockout mechanism to safely immobilise the cutting disc while changing the blades.
- The larger wheel design makes for easier transportation and manoeuvrability.
- Optional chipper collection bag is available to neatly collect discharged mulch for convenient placement or disposal.
- Adjustable deflector on the 1270mm high discharge chute allows users to direct chips where required.
- Large flywheel provides a large amount of stored kinetic energy for enhanced cutting performance.
- 4 Year Warranty*

*Engine is protected by the engine manufacturer warranty



Product may differ slightly from pictured.



6.0HP CHIPPER SHREDDER

BI02021

- Powerful 6.0HP 205cc OHV I/C Briggs & Stratton engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is included
- V-Belt drive system
- 4 Year Warranty*



Bar Grate Included



5.0HP CHIPPER SHREDDER - HONDA

BI02026

- Powerful 5.0HP 163cc Honda GX160 engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm chipper chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty*



Optional Bar Grate



5.5HP CHIPPER SHREDDER

BI02027

- Powered by Loncin 5.5HP 196cc OHV engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty*



Optional Bar Grate

OUTDOOR POWER EQUIPMENT



5 TONNE LOG SPLITTER, KINETIC

552882

- 1500W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 280mm (11") max log diameter
- 400mm (16") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty



7 TONNE LOG SPLITTER

552608

- 2300W, 230V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 320mm (12 1/2") max log diameter
- 520mm (20") max log length
- Hydraulic 7 tonne ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 12 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 4 way splitting attachment included
- 2 Year Warranty



4 way splitting attachment

8 TONNE LOG SPLITTER, KINETIC

553001

- 1600W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 350mm (13.75") max log diameter
- 520mm (20.5") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty





PETROL EDGER - LONCIN

550919

- Powered by Loncin 80cc horizontal shaft OHV engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5") Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains "lockout" feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6") front and 200mm (8") rear ball bearing wheels
- 4 Year Warranty*



Product may differ slightly from pictured.

PETROL EDGER - B&S

550913

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C horizontal shaft engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5") Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains "lockout" feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6") front and 200mm (8") rear ball bearing wheels
- 4 Year Warranty*



4 WAY HOME GARDENER

550905

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C horizontal shaft engine
- Sturdy shaft drive with worm-drive gearbox transmission
- 280mm (11") tilling width without outside tines
- 430mm (17") tilling width standard
- Lightweight - 46.3kg
- Simple controls and rugged construction
- Comes with tines, garden aerator, lawn edger and cleaning brush
- 4 Year Warranty*



Aerator

Lawn Edger

Cleaning Brush

Tines

*Engine is protected by the engine manufacturer warranty



WARRANTY AND DISCLAIMER INFORMATION:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models.

This brochure supersedes all previous Masport Lawn & Garden range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171,
407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792,
and patents: 330634, 570911, 589942/590235, 605098, 605114.

Masport Australia Pty Limited

PO BOX 533, Braeside
Victoria 3195, Australia
P: 1300 366 225
Fax: 1800 035 594
Email: csau@masport.com.au
Web: www.masport.com.au



The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.

PRESIDENT®