SPRING 2024

GEAR UP FOR THE SEASON

CLAA5





AMAZONE





NEW

CLAAS XERION 12 SERIES

544 - 653 HP TRACTOR

- ► Mercedes-Benz 15.6 L engine with impressive maximum output of up to 653 hp
- ► Stronger profitability due to low fuel consumption, low maintenance and wear
- ► Stronger pulling efficiency thanks to high torque, large contact areas, optimal 50:50 weight distribution under all operating conditions and powerful hydraulic power
- ► Greater comfort thanks to the large, fourpoint suspended cab with excellent all-round visibility, rubber-damped TERRA TRAC track units and comfortable steering behaviour
- ► Stronger assistance via CEBIS, CMOTION, CEMOS and GPS PILOT CEMIS 1200 digital automation
- ▶ 12.540 model available with 900/60 R42 single tyres or TERRA TRAC triangular crawler units, 12.590 and 12.650 models available with 800/70 R42 dual tyres or TERRA TRAC triangular crawler units
- ▶ Up to 537 L/min hydraulic power with up to eight spool valves

WATCH THE FULL WALK-AROUND VIDEO







CLAAS XERION 5000-4200

462 - 530 HP TRACTOR

- ▶ Six cylinder; 10.7 or 12.8 L Mercedes engine up to 2600 Nm torque with max output from 462 hp to 530 hp
- ▶ 'Low speed high torque' concept gives up to 2600 Nm torque at 1300 rpm
- ► Continuously variable transmission
- ▶ 50 km/h for rapid transfer between fields
- ▶ Four equal-sized tyres, up to 2.22 m diameter for perfect traction
- ▶ Ergonomic operating concept with innovative multifunction control lever
- ► Long service intervals and easy maintenance access
- Fully reversible cab available as an option
- ► Automatic Tyre Inflation System availabile as option







CLAAS AXION 900

329 - 423 HP TRACTOR

- ► Six cylinder 8.7 L FPT engine delivers up to 1760 Nm torque at 1400 rpm for optimal fuel efficiency without the need for AdBlue
- ▶ Up to six spool valves and 220 L/min hydraulic capacity
- ► CMATIC continuously variable transmission with REVERSHIFT clutchless reverser
- Compact design, long wheelbase, tight turning circle, and balanced weight distribution for maximum manoeuvrability and drawbar pull
- ▶ 6.5 t front linkage and front PTO available
- ▶ CEMIS 1200 Steering System available as option

CLAAS AXION 900 TERRA TRAC

355 - 445 HP TRACTOR

- ► Super-efficient six cylinder 8.7 L FPT engine with Stage 5 emissions control technology with low engine speed and high torque
- ► Continuously variable CMATIC transmission
- ▶ 457 mm, 635 mm and 735 mm track widths and optional 3 m spacing
- ▶ 12" CEBIS touch with ISO UT
- ► Compact 7.75 m turning circle
- ► CEMIS 1200 Steering System available as option





CLAAS AXION 800

205 – 295 HP TRACTOR

- ➤ Six cylinder, 6.7 L Stage 5 FPT engine provides full torque in a wide engine speed range
- ► HEXASHIFT powershift transmission or CMATIC Continuously Variable Transmission provides efficient conversion of engine power
- \blacktriangleright Cab with CEBIS, CIS+ or CIS
- ▶ Ergonomically designed cab with excellent visibility
- ► Four point comfort cabin suspension for maximum comfort with front axle suspension

CLAAS ARION 600

145 – 205 HP TRACTOR

- ▶ Six cylinder 6.8 L with CLAAS Power System
- ► HEXASHIFT powershift transmission or continuously variable CMATIC transmission
- ► CIS, CIS+ or CEBIS operator control
- ► Four point comfort cab suspension
- ▶ Option 50 km/h max speed
- ▶ Up to 150 L/min load sensing hydraulics
- ► CLAAS leading comfort systems

THE CHOICE IS YOURS

Step up a CLAAS with a finance rate and term length to suit.

1.99% FINANCE 36 MONTH TERM

199% FINANCE 48 MONTH TERM

3.99% FINANCE 60 MONTH TERM

*Standard CLAAS Financial Services lending criteria, terms, conditions and fees apply. Advertised rates on CLAAS Tractors, SCORPION Telehandlers and TORION Wheel Loaders require a minimum 30% deposit followed by monthly repayments over specified term - finance from 1.99% on 36 month term, 2.99% on 48 month term and 3.99% on 60 month term. GST back in month 4. Offer applies to in-stock or on order new CLAAS Tractors, SCORPION Telehands and TORION Wheel Loaders only. Offer valid on equipment delivered by 31/12/2024 or while stocks last. If finance base rates move by more than 0.25%, CLAAS Financial Services reserve the right to re-quote. ABN holders only. Images illustrative only.

HOT DEALS FOR SPRING



CLAAS ARION 620C with FL120C loader

140 HP TRACTOR

- ▶ Six cylinder 6.8 L with CLAAS Power System
- ▶ QUADRISHIFT transmission 16x16
- ► Four point comfort cab suspension
- ▶ Up to 98 L/min hydraulics
- ► Three mechanical spools

BE QUICK — ONLY 10 MACHINES AVAILABLE AT THIS PRICE!

UPGRADE TO 630C15 HP EXTRA FOR ONLY \$2,000





CLAAS AXOS 300 with FL80C loader

75–102 HP TRACTOR

- ► Four cylinder 4.4 L Tier 3 turbocharged engine with mechanical injection
- ▶ 20x20 transmission with REVERSHIFT & TWINSHIFT
- ► High ground clearance
- ightharpoonup Two PTO speeds 540 & 1000

CLAAS ARION 430CIS with FL100C loader

130 HP TRACTOR

- ► Four cylinder 4.5 L Tier 3 engine with CLAAS Power System
- ▶ QUADRISHIFT transmission 16x16
- ▶ Up to 98 L/min hydraulics
- ► ELECTROPILOT joystick
- ► Two mechanical & two EH spool valves



CLAAS DISCO MOWER

CLAAS DISCO front, rear, trailed and combination mowers are designed to withstand maximum loads while consistently delivering a top-quality cutting result. Easy to use, they maintain outstanding efficiency with minimal power requirements.

- ▶ Top chop quality with the MAX CUT mower bar on all models
- ▶ Smooth running even at high driving speeds
- ▶ Innovative bolt concept for maximum deflection and impact resistance, even under extreme loads
- ► ACTIVE FLOAT and drive concept designed for low fuel consumption and maximum forage quality
- ► SAFETY LINK reliably protects the drive train, and is quickly replaced when required
- ➤ **NEW** 1010 model boasts an impressive 9.9 m working width the widest mounted mower without telescopic booms on the market
- ▶ **NEW** 9700 model with up to 9.5 m working width. New swing arm mounted to enable the change of overlap between front and rear mowers on the go by up to 35 cm per side!
- ▶ Different versions with tine or roller conditioner and AUTO SWATHER swath grouping are available. The roller conditioner option comes with a newly designed double roller drive which enables the machine to handle yields of up to 60 t/ha and tractors up to 500 hp

FROM 199% FINANCE

GEAR UP FOR THE SEASON AHEAD

Lock in finance from just 1.99% on CLAAS Greenline Category 2 Equipment

"Standard CLAAS Financial Services lending criteria, terms, conditions and fees apply. 1.99% p.a on CLAAS Greenline equipment requires a minimum 33% deposit followed by two six-monthly repayments over 12 months. Offer applies to in-stock or on order new Category 2 Greenline equipment only and excludes triple mowers, quad-rotor rakes and balers. Offer valid on equipment delivered by 31/12/2024 or while stocks last. If finance base rates move by more than 0.25%, CLAAS Financial Services reserve the right to re-quote. ABN holders only. Images illustrative only.





CLAAS VOLTO TEDDER

- ▶ 5.2 13 m working widths
- ► MAX SPREAD crop flow
- ▶ PERMALINK drive concept
- ▶ 4 10 rotor options
- ► Trailing and 3-point linkage options

CLAAS LINER RAKE

- ► Single, twin and quad rotor models
- ► Continuously lubricated and hermetically sealed rotor housing
- ► PROFIX tine arm bracket ensures secure, play-free attachment and easy replacement without tools
- ► Fully floating suspension provides threedimensional ground-contour following
- ▶ **NEW** hydraulic ACTIVE FLOAT suspension on twin rotor BUSINESS models





CLAAS VARIANT 500

- ► NEW variable bale diameter of 0.9 1.6 m (560 / 565) and 0.9 1.8 m (580 / 585)
- ▶ NEW SMART DENSITY baling intelligence for improved bale formation and shape, a real soft core and easy customisation of bale settings based on the individual field conditions
- ▶ **NEW** XW binding system provides more comfort, more reliability and easier setup for a high quality bale presentation
- ▶ **NEW** ROTO CUT with 17 knives for VARIANT 565 / 585
- ▶ **NEW** adjustable chain lubrication system with integrated filter to prevent contamination ensures reliability in the long run
- ▶ **NEW** wide tyre offer for all kinds of applications and harvesting conditions
- ▶ 4 star Active Rotor in 360° placement provides optimal cutting and crop spreading with a forced bale start
- ▶ 3 m/s belt speed for high density at high speeds and fastest binding
- ► Fast bale discharge within six seconds
- ► Ability to reduce speed on 1000 RPM machines provides fuel saving while keeping throughput and density
- ► Plug and play camera solution to display the PROFI CAM 4 picture in the CEMIS 700 terminal

FINANCE FINANCE

THE PERFECT BALE

Secure your new baler with finance from 1.99% on a 48 month term.

*Standard CLAAS Financial Services lending criteria, terms, conditions and fees apply. 1.99% p.a on CLAAS Balers requires a minimum 30% deposit followed by monthly repayments over 48 month term. GST back in month 3. Offer applies to in-stock or on order new CLAAS Balers only. Offer valid on equipment delivered by 31/12/2024 or while stocks last. If finance base rates move by more than 0.25%, CLAAS Financial Services reserve the right to re-quote. ABN holders only. Images illustrative only.





CLAAS TORION 1611P-1611 WHEEL LOADER — MEDIUM SERIES

- ▶ Engine output from 207 258 hp
- ► Operating weight from 15,200 15,810 kg and tipping load from 9,400 10,250 kg
- ▶ Working hydraulics 200 L / 350 bar
- ► The machines ideal weight distribution allows you to handle materials even more efficiently
- ► SMART LOADING speeds up your loading cycles thanks to automated loading functions
- ► The infinitely variable VARIPOWER ground drive lowers your fuel consumption substantially
- ► DYNAMIC COOLING provides demand-driven cooling with low service requirements
- ▶ The cab offers excellent comfort for long days at work
- ▶ 360° visibility allows you to work safely in all conditions

CLAAS TORION 1913WHEEL LOADER — LARGE SERIES

- ► Economical four cylinder engine delivers up to 222 hp at 1100 rpm
- ▶ Operating weight 19,000 kg and tipping load 11,500 kg
- ➤ 234 L/min as standard, up to 350 bar operating pressure (Z-kinematics)
- ► SMART LOADING speeds up your loading cycles thanks to automated loading functions
- ▶ The efficient power train saves fuel
- ▶ DYNAMIC POWER generates up to 20% more thrust
- ► The CMATIC transmission ensures comfortable, continuous operation
- ► The cab supports you with smart functionalities and operating comfort



CLAAS SCORPION TELEHANDLER

THE STRONG ARM ON YOUR FARM

- ▶ Up to 8.8 m lift height
- ► Up to 6 t lifting capacity
- ▶ 136/156 hp Deutz Tier 3 engine options
- ▶ High hydraulic power 160 & 200 L/min LS pump options
- ► Four steering modes with automatic synchronisation
- ► SMART LOADING speeds up your loading cycles thanks to to automated loading functions
- ► Automatic park brake
- ► Hand throttle & ground speed control
- Minimal greasing points thanks to a central system with the possibility to have full auto greasing system

LIFT YOUR PRODUCTIVITY – REQUEST A DEMO

Put the CLAAS SCORPION through its paces at your place. Scan the QR code to sign up for a demo now!



HOT DEALS FOR SPRING



AMAZONE UG 2200 SPECIAL

HIGH PERFORMANCE TRAILED SPRAYER

- ▶ 21 m and 24 m boom widths
- ▶ 2,400 L tank capacity
- ▶ 250 L/min pump
- ► Super-S2 booms provides outstanding boom suspension with hydraulic lift-fold-slant
- 5 Section
- ► AmaSpray+ rate control terminal
- ► Chemical Induction Hopper
- ▶ Pressure Fill & Self Fill Ready
- ▶ 420/85R38 Wheels

IN-STOCK — LIMITED UNITS AVAILABLE





AMAZONE CATROS 3003

COMPACT MOUNTED DISC CULTIVATOR

- ▶ 3 m working width
- ► Mechanical depth adjustment
- ▶ 510 mm large scalloped discs
- ▶ Optimised disc position for safe work even under difficult conditions
- ► Maintenance-free disc bearings with slide seals and life-long lubrication

AMAZONE ZA-V 2000 SPECIAL

TWIN DISC MOUNTED CENTRIFUGAL SPREADER

- ▶ 2,000 L hopper capacity
- ▶ Precise spread patterns at working widths up to 36 m
- ► Payload of up to 2.2 t
- ► Mudguards and road lights
- ► Hydraulic shutter control

FROM

.99% FINANCE

GEAR UP FOR THE SEASON AHEAD

Lock in a 1.99% finance rate on a range of AMAZONE spreaders, sprayers, seeders & cultivators today!

*Standard CLAAS Financial Services lending criteria, terms, conditions and fees apply. 1.99% p.a on AMAZONE equipment requires a minimum 33% deposit followed by two six-monthly repayments over 12 months. Offer applies to in-stock or on order new AMAZONE Equipment with invoice price of \$100,000 or less only. Offer valid on equipment delivered by 31/12/2024 or while stocks last. If finance hase rates move by more than 0.25% CLAAS Financial Services reserve the right to re-quote. ARN holders only. Images illustrative only.



AMAZONE ZG-TX

TRAILED COMBI SPREADER

- Flexible scope of operation for quicker and easier conversion between lime and fertiliser spreading
- Precise spread patterns with outstanding lateral distribution for fertiliser and lime thanks to the tried-and-tested TS spreading system and the newly developed spreading unit lime
- ▶ Maximum capacity for larger working widths
- Exact spread rate regulation in any field situation, FlowControl guarantees precise application rates from the first second irrespective of which side
- HeadlandControl provides perfect lateral distribution via wider spreading on the inside of the headland and parabolic switching of the part-width sections
- Perfect border spreading with AutoTS for fertiliser application; proven precision, maximum yield right up to the field boundary, and border spread deflector for lime; exact application right to the edge of the field







AMAZONE UF 02

MOUNTED SPRAYER

The compact AMAZONE UF mounted sprayer is characterised by its strong, robust construction yet lightweight, advanced and user-friendly design that caters for a wide range of farm sizes.

- ▶ Boom widths from 15 to 30 m
- ▶ Tank capacities from 1600 to 2000 L
- Super-S2 booms provide outstanding boom suspension and support AmaSwitch individual nozzle control
- ► DUS and DUS Pro Pressure recirculation systems for a continuous circulation of the spray liquid
- ► With FlowControl+ and FT 1502 front tank, capacity can be increased to 3500 L for even higher output

IN-STOCK AND READY TO WORK

AMAZONE UX

TRAILED SPRAYER

With its large tank capacity of up to 11200 litres, the AMAZONE UX trailed sprayer provides fast operating speeds for large field sizes and crops requiring high sprayer output and maximum efficiency for those requiring high application rates.

- ▶ Super-L2 sprayer booms in working widths from 21 to 40 m
- ▶ UX Special available in tank capacities of 3200, 4200 or 5200 L
- UX Super available in tank capacities of 4200, 5200, 6200, 7600, 8600 or 11200 L
- ► High-capacity, low maintenance piston diaphragm pumps deliver capacity up to 520 L/min
- Innovative boom features such as Flex-Folding, ContourControl and SwingStop provide superior boom ride
- ► Chemical Induction Hopper
- ▶ Pressure Fill & Self Fill Ready

IN-STOCK AND READY TO WORK



VÄDERSTAD RAPID

SEED DRILL - 3 M TO 8 M

- Carry out seedbed preparation, levelling, drilling and reconsolidation in one pass
- ▶ Direct drilling, reduced tillage or conventional tillage
- ► Equipped with hydraulic metering for infinite adjustment
- ► Metering system constantly communicates with a ground radar to match the pre-set seed rate
- ► Large capacity hopper designed for fast and easy filling
- ► Simple and quick calibration
- ▶ iPad-based control system provides extensive control and monitoring of the seeding operation

ORDER NOW FOR AUTUMN 2025 DELIVERY



VÄDERSTAD TEMPO

HIGH-SPEED PLANTER TRAILED OR 3PL

- ► Unmatched high speed planter maintaining accuracy and precision
- ▶ Hydraulic down pressure for no-till planting
- Positive air flow maintaining seed control to the seed bed unaffected by vibration and ground conditions
- ► ISOBUS, Section Control and Seed Counting technology
- ▶ Options for multiple crops and spacings with 4 row to 32 row configurations

FORWARD ORDER YOUR CUSTOM BUILT TEMPO FOR SPRING 2025 AT 2024 PRICING



VÄDERSTAD SEED HAWK 30 SERIES

TRAILED OR 3PL

- ▶ Features the precise Fenix II metering unit and a two compartment 3800 L on-board tank
- ▶ 610.30 model 6 m frame allows 24 rows at 250 mm or 20 rows at 300 mm row spacing
- ▶ 810.30 model 8 m frame allows 32 rows at 250 mm or 26 rows at 300 mm row spacing
- ► Seed Hawk opener assemblies operate independently for superior shallow seeding, depth





VÄDERSTAD TOPDOWN

COMBINATION CULTIVATOR - 3 M TO 7 M

- ▶ Multipurpose tillage machine for full scale shallow and deep cultivation
- ▶ Unique double steel roller option for increased moisture consolidation
- ▶ Hydraulic tine release for protection with digging capability
- ▶ Proven crop performance with fertiliser incorporation
- ▶ One pass seed bed preparation

ORDER NOW FOR AUTUMN 2025 DELIVERY



LET'S TALK FIND YOUR LOCAL DEALER



CLAAS HARVEST CENTRES

NEW SOUTH WALES

MOREE 51-53 Balo Street 02 6752 2044

NARRABRI

02 6792 1988

WAGGA WAGGA 274 Hammond Avenue 02 5942 3600

SOUTH AUSTRALIA

4-8 Goldsworthy Street 08 8821 1603

QUEENSLAND

DALBY

Lot 3 Commodity Court 07 4662 2278

GOONDIWINDI AFTER SALES CENTRE

7 Allen Street 07 4593 6699

TASMANIA

LATROBE

1 York Street 03 6425 7191

VICTORIA

BALLARAT

914 La Trobe Street 03 5332 0177

03 5231 6322

ECHUCA

12-16 Murray Valley Hwy 03 5480 1855

2-3 June Court Warragul 03 5622 4400

LAKE BOLAC

3 Weighbridge Place 03 5350 2133

SOUTH GIPPSLAND

2-4 McPherson Street Leongatha 03 5662 9000

WARRNAMBOOL 65 Caramut Road

15 Hill Road

08 9071 4080

GERALDTON

08 9923 5900

KATANNING

17 Creek Street 08 9821 8900

NORTHAM 15 Yilgarn Avenue 08 9621 8200

PARTNER DEALERS

STOCKISTS OF: CLAAS AMAZONE

VÄDERSTAD

BEGA FARM

30 Buckajo Road Bega 02 6494 7362

COOMA FARM MACHINERY

40 Polo Flat Road 02 6452 1605

DOOLAN'S PRECISION SEEDING

844 Merryula Road Coonabarabaran 04 2970 4499

GOULBURN FARM MACHINERY

72 Knox Street Goulburn 02 4821 4148

JJ FARM EQUIPMENT

140 MacKay Avenue Yoogali 02 6964 5959

MCPHERSONS PARTS & SERVICE

100-106 Forbes Road Parkes 02 6862 3888

O'BRIEN'S

MACHINERY 16 Muffett Street

02 6545 2622

WIDELAND GROUP

1-5 Belmore Street Tamworth 02 6767 3777

BASCOMBE AUTO AG 2/8 Railway Terrace Cummins

WSB DISTRIBUTORS

28 Peake Street Karoonda 08 8842 2177

TRACTION AG

8 Deviation Road Naracoorte 08 87<u>62 0955</u>

DOVER & SONS 24 Macquarie Street Boonah 07 5460 6600

DOVER & SONS

59-73 Telemon Street Beaudesert 07 5540 1800

FRASER FORD

106 Main Street Proserpine 07 4945 9111

NQ AGRICULTURAL SERVICES

22-24 Lawson Street 07 4095 4455

TERREQUIPE

Parkhurst North Rockhampton 07 4936 3577

TERREQUIPE

6 Longwall Place Mackay 07 4952 6061

WIDELAND GROUP

2 Carrington Road Toowoomba 1300 783 379

AGWEST MACHINERY 8 Rendell Street Corrigin 08 9063 2508

HARVEY FARM SERVICE

243 Korijekup Avenue Harvey 08 9729 1155

MARGARET RIVER MACHINERY

1/28 Auger Way Margaret River 08 9785 2834

PERRELLA INDUSTRIAL SUPPLIES

41 Wetherell Street Manjimup 08 9777 1737

WANT A DEMO? CONTACT US TODAY







